



Profile KIDES-DUO





1. Profile KIDES-DUO (Ref. A18032)

2. End cap KIDESIN-DUO (Ref. C24153L01)

3. End cap KIDES-DUO (Ref. C28211A01)

4. Profile ATRA (Ref. A07454)**

5. LED tape*

6. Cover*

7. Gland*

8. Plastic rod dia. 2,4 mm

9. Spacers*

10. Gland*

11. Mounting pad 60*

12. Power supply*

13. Spring BLOK (Ref. C42731N00)


*The full range of accessories and electronics is available at www.KlusDesign.com

**When choosing the profile length for the intended fixture, the ATRA profile should be kept accordingly longer than the other items of the KIDES-DUO profile.


NOTE! ! All LED tapes must be connected to a 24V DC power supply.

IMPORTANT: Not all possible mounting procedures are presented here.


More mounting procedures and related accessories can be found at www.KlusDesign.com. Drawings in these instructions are simplified and only approximate the actual shapes.




I




II




III



IV



V





VI



220-240V AC
50/60Hz




VII




VIII




IX




X




XI




XII




XIII




XIV




XV




XVI




XVII




XVIII




XIX




XX




Ia




Ila




IIIa




IVa




Va




Ib




IIb




IIIb



IVb



Vb



VIb

